



YONGKANG BAOYUE VEHICLE CO.,LTD.

[www.cnhuobao.com](http://www.cnhuobao.com)

• 0086-579-87432466 • 87432666 • 0086-579-87432918

• No. 39, Huobao Road, Industry Function Sub-Area, Zhiying Town, Yongkang, Zhejiang, CHINA

YONGKANG BAOYUE VEHICLE CO.,LTD



## YONGKANG BAOYUE VEHICLE CO.,LTD.

Established in the year of 1995,our company is a professional manufacturer which specialized in manufacturing off-road ATV, Mini ATV, Cross Bikes, Electric Scooters and Balancing Scooters all around the world.

Our well-equipped facilities, excellent quality control throughout all stages of production ,fast delivery and mature after-sale service system enable us to guarantee customer's satisfaction.

Also we have obtained WMI,CE,COC,SGS,TUV and UL certification for all products.

Welcome to visit us, you will find the best supplier and friends in China.

## CERTIFICATION





### ◀ HB-EATV1000B

Motor: 1000W brush motor  
 Battery: lead acid, 12V12A\*4(48V)  
 Brake(F/R): disc/disc  
 Max speed: 32KM/H  
 Tyre: 14x4.10-6(F) 14x5.00-6(R)  
 Speed: low – middle – high  
 Charging time: 6-8 hours  
 Conveyance: 144PCS/40'HQ



### ◀ HB-EATV800A

Motor: 500/800W brush motor  
 Battery: lead acid, 12V12A\*3(36V)  
 Brake(F/R): disc/disc  
 Max speed: 25KM/H  
 Tyre: 4.10-6(F) 13x5-6(R)  
 Speed: low – middle – high  
 Charging time: 6-8 hours  
 Conveyance: 230PCS/40'HQ

### ◀ HB-EATV1000A

Motor: 1000W brush motor  
 Battery: lead acid, 12V12A\*4(48V)  
 Brake(F/R): disc/disc  
 Max speed: 32KM/H  
 Tyre: 14x4.10-6(F) 14x5.00-6(R)  
 Speed: low – middle – high  
 Charging time: 6-8 hours  
 Conveyance: 144PCS/40'HQ

### ▶ HB-EATV800B

Motor: 500/800W brush motor  
 Battery: lead acid, 12V12A\*3(36V)  
 Brake(F/R): disc/disc  
 Max speed: 25KM/H  
 Tyre: 4.10-6(F) 13x5-6(R)  
 Speed: low – middle – high  
 Charging time: 6-8 hours  
 Conveyance: 180PCS/40'HQ



### ◀ HB-ATV49B

Engine: 49cc, 2 stroke, air-cooled  
 Alloy pull starter & electric starter  
 Brake(F/R): disc/disc  
 Max speed: 35KM/H  
 Tyre: 4.10-6(F) 13x5-6(R)  
 Conveyance: 210PCS/40'HQ

### ▶ HB-ATV49A

Engine: 49cc, 2 stroke, air-cooled  
 Alloy pull starter & electric starter  
 Brake(F/R): disc/disc  
 Max speed: 35KM/H  
 Tyre: 4.10-6(F) 13x5-6(R)  
 Conveyance: 230PCS/40'HQ





### ◀ **HB-EATV800K**

Motor: 500/800W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Max speed: 25KM/H  
Tyre: 4.10-6(F) 13x5-6(R)  
Speed: low - middle - high  
Charging time: 6-8 hours  
Conveyance: 230PCS/40'HQ



### ▶ **HB-EATV350N**

Motor: 350W brushless shaft motor  
Battery: lead acid, 12V12A\*3(36V)  
Max speed: 30 KM/H  
Brake(F/R): disc / disc  
Tyre: 14x5.00-6 (F) 14x5.00-6(R)  
Charging time: 6-8 hours  
Conveyance: 136PCS/40'HQ



### ◀ **HB-ATV49N**

Engine: 49cc, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 35KM/H  
Tyre: 4.10-6(F) 13x5-6(R)  
Conveyance: 230PCS/HQ

### ▶ **HB-ATV49K**

Engine: 49cc, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 35KM/H  
Max speed: 40KM/H  
Tyre: 4.10-6(F) 13x5-6(R)  
Conveyance: 275PCS/40'HQ





### ◀ **HB-EATV800E**

Motor: 500/800W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Max speed: 25KM/H  
Tyre: 4.10-4  
Tyre: 4.10-6(F) 13x5-6(R) (available)  
Speed: low - middle - high  
Charging time: 6-8 hours  
Conveyance: 287 & 275PCS/40'HQ



### ◀ **HB-EATV800D**

Motor: 500/800W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Max speed: 25KM/H  
Tyre: 4.10-6(F) 13x5-6(R)  
Speed: low - middle - high  
Charging time: 6-8 hours  
Conveyance: 205PCS/40'HQ

### ▶ **HB-ATV49E**

Engine: 49cc, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 35KM/H  
Tyre: 4.10-4  
Tyre: 4.10-6(F) 13x5-6(R) (available)  
Conveyance: 287 & 275PCS/40'HQ



### ▶ **HB-ATV49D**

Engine: 49cc, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 35KM/H  
Tyre: 4.10-6(F) 13x5-6(R)  
Conveyance: 205PCS/40'HQ





### ◀ HB-EATV800C

Motor: 500/800W  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Max speed: 24KM/H  
Tyre: 4.10-4  
Speed: low – middle – high  
Charging time: 6-8 hours  
Conveyance: 275PCS/40'HQ



### ◀ HB-ATV49C

Engine: 49cc, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 32KM/H  
Tyre: 4.10-4  
Conveyance: 287PCS/40'HQ



### ▶ HB-ATV49C-N

Engine: 49cc, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 32KM/H  
Tyre: 4.10-4  
Conveyance: 275PCS/40'HQ



### ▶ HB-EATV800L

Motor: 500/800W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Max speed: 25KM/H  
Tyre: 4.10-6(F) 13x5-6(R)  
Speed: low – middle – high  
Charging time: 6-8 hours  
Conveyance: 230PCS/40'HQ





### ◀ HB-ATV125D

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front disc brake / rear disc brake  
Max speed: 60KM/H  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 92pcs/40'HQ



### ◀ HB-ATV125A-8

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front disc brake / rear disc brake  
Max speed: 60KM/H  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 108pcs/40'HQ

### ▶ HB-ATV1000A

Motor: 750W/1000W Brushless motor  
Battery: Lead acid battery 12V20A\*4(48V)  
Max speed: 35/KM/H  
Charging time: 8-10 hours  
Transmission: chain or shaft  
Brake(F/R): front double drum brake / rear disc brake  
Loading capacity: 120KGS  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 92pcs or 69pcs/40'HQ




### ▶ HB-ATV125A-7

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front double drum brake / rear disc brake  
Max speed: 55KM/H  
Tyre(F/R): 16x8-7  
Conveyance: 108pcs/40'HQ



### ◀ HB-ATV125A-N

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front disc brake / rear disc brake  
Max speed: 60KM/H  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 108pcs/40'HQ



### ◀ HB-ATV1000B

Motor: 750W/1000W Brushless motor  
Battery: Lead acid battery 12V20A\*4(48V)  
Max speed: 35/KM/H  
Charging time: 8-10 hours  
Transmission: shaft  
Brake(F/R): front double drum brake / rear disc brake  
Loading capacity: 100KGS  
Tyre(F/R): 16x8-7  
Conveyance: 108pcs or 92pcs/40'HQ



### ◀ HB-ATV125C-N

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front double drum brake / rear disc brake  
Max speed: 60KM/H  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 108pcs/40'HQ



### ◀ HB-ATV1000C

Motor:750W/1000W Brushless motor  
Battery: Lead acid battery 12V20A\*4(48V)  
Max speed: 35/KM/H  
Charging time: 8-10 hours  
Transmission: chain or shaft  
Brake(F/R): front double drum brake / rear disc brake  
Loading capacity: 100KGS  
Tyre(F/R): 16x8-7  
Conveyance: 128pcs/40'HQ

### ▶ HB-ATV125C-8

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front double drum brake / rear disc brake  
Max speed: 60KM/H  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 108pcs/40'HQ



### ▶ HB-ATV1000C-N

Motor:750W/1000W Brushless motor  
Battery: Lead acid battery 12V20A\*4(48V)  
Max speed:35/KM/H  
Charging time:8-10 hours  
Transmission: shaft  
Brake(F/R): front double drum brake / rear disc brake  
Loading capacity: 100KGS  
Tyre(F/R): 16x8-7  
Conveyance: 92pcs/40'HQ



### ◀ HB-ATV125C

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front double drum brake / rear disc brake  
Max speed: 55KM/H  
Tyre(F/R): 16x8-7  
Conveyance: 128pcs/40'HQ



### ◀ HB-ATV125G

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
Electric starter  
Transmission: automatic (reverse is available)  
Brake(F/R): front disc brake / rear disc brake  
Max speed: 60KM/H  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 108pcs/40'HQ





### ◀ HB-ATV50I-8

Engine: 125cc, single cylinder, air-cooled, 4 stroke  
 Electric starter  
 Transmission: automatic (reverse is available)  
 Brake(F/R): front disc brake / rear disc brake  
 Tyre: 190/70-8 (F) 180/95-8 (R)  
 Fuel tank: 2L  
 Max speed: 60km/h  
 Conveyance: 108pcs/HQ



### ◀ HB-ATV125E

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
 Electric starter  
 Transmission: automatic (reverse is available)  
 Brake(F/R): front double drum brake / rear disc brake  
 Max speed: 55KM/H  
 Tyre(F/R): 16x8-7  
 Conveyance: 128pcs/40'HQ

### ▶ HB-ATV125F

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
 Electric starter  
 Transmission: automatic (reverse is available)  
 Brake(F/R): front double drum brake / rear disc brake  
 Max speed: 55KM/H  
 Tyre(F/R): 16x8-7  
 Conveyance: 120pcs/40'HQ



### ▶ HB-ATV1000D

Motor: 750W/1000W Brushless motor  
 Battery: Lead acid battery 12V20A\*4(48V)  
 Max speed: 35/KM/H  
 Charging time: 8-10 hours  
 Transmission: chain or shaft  
 Brake(F/R): front double drum brake / rear disc brake  
 Loading capacity: 85KGS  
 Tyre(F/R): 16x8-7  
 Conveyance: 128pcs/40'HQ



### ◀ HB-ATV125B

Engine: 110cc/125cc, single cylinder, air-cooled, 4 stroke  
 Electric starter  
 Transmission: automatic (reverse is available)  
 Brake(F/R): front double drum brake / rear disc brake  
 Max speed: 55KM/H  
 Tyre(F/R): 145/70-6 or 16x8-7  
 Conveyance: 144pcs/40'HQ



### ◀ HB-ATV800B

Motor: 650/800W brush motor  
 Battery: Lead acid battery 12V12A\*3(36V)  
 Brake(F/R): front double drum brake / rear disc brake  
 Charging time: 8-10 hours  
 Transmission: chain  
 Loading capacity: 85KGS  
 Max speed: 30/KM/H  
 Tyre(F/R): 145/70-6 or 16x8-7  
 Conveyance: 144pcs/40'HQ



### ◀ HB-ATV150A-N

Engine: 150cc GY6 engine, single cylinder, 4 stroke, air cooled  
Electric starter, automatic with reverse  
Brake type: drum/disc or disc/disc  
Battery: 12V/9A  
Max speed: 65KM/H  
Tyre: 21X7-10 (F) 20X10-10(R)  
Conveyance: 66pcs/40'HQ



### ◀ HB-ATV150C

Engine: 150cc GY6 engine, single cylinder, 4 stroke, air cooled  
Electric starter, automatic with reverse  
Brake type: drum/disc or disc/disc  
Battery: 12V/9A  
Max speed: 65KM/H  
Tyre: 23X7-10 (F) 22X11-10 (R)  
Conveyance: 66pcs/40'HQ

### ▶ HB-ATV150A

Engine: 150cc GY6 engine, single cylinder, 4 stroke, air cooled  
Electric starter, automatic with reverse  
Brake type: drum/disc or disc/disc  
Battery: 12V/9A  
Max speed: 65KM/H  
Tyre: 21X7-10 (F) 20X10-10(R)  
Conveyance: 66pcs/40'HQ



### ▶ HB-ATV150D

Engine: 150cc GY6 engine, single cylinder, 4 stroke, air cooled  
Electric starter, automatic with reverse  
Brake type: drum/disc or disc/disc  
Battery: 12V/9A  
Max speed: 60KM/H  
Tyre: 19x7.0-8(F) 18x9.5-8(R)  
Conveyance: 66pcs/40'HQ



### ◀ HB-ATV250B

Engine: 250cc, single cylinder, 4 stroke, air cooled  
Electric starter  
Brake type: drum/disc or disc/disc  
Battery: 12V/9A  
Max speed: 75KM/H  
Tyre: 21X7-10 (F) 20X10-10(R)  
Conveyance: 66pcs/40'HQ



### ◀ HB-ATV250D

Engine: 250cc, single cylinder, 4 stroke, air cooled  
Electric starter  
Brake type: drum/disc or disc/disc  
Battery: 12V/9A  
Transmission: chain or shaft  
Max speed: 75KM/H  
Tyre: 23X7-10 (F) 22X11-10 (R)  
Conveyance: 42pcs/40'HQ



### ◀ **HB-GS05**

Engine:125cc, single cylinder, 4 stroke,air cooled  
Start: Kick start or Kick&Electric start  
Brake type: disc/disc  
Front wheel: 14 inch or 17 inch  
Rear wheel: 12 inch or 14 inch  
Conveyance: 199pcs or 142pcs/40'HQ



### ◀ **HB-GS05A**

Engine:125cc, single cylinder, 4 stroke,air cooled  
Start: Kick start or Kick&Electric start  
Brake type: disc/disc  
Front wheel: 14 inch or 17 inch  
Rear wheel: 12 inch or 14 inch  
Conveyance: 199pcs or 142pcs/40'HQ

### ▶ **HB-GS05B**

Engine:125cc, single cylinder, 4 stroke,air cooled  
Start: Kick start or Kick&Electric start  
Brake type: disc/disc  
Front wheel: 14 inch or 17 inch  
Rear wheel: 12 inch or 14 inch  
Conveyance: 199pcs or 142pcs/40'HQ



### ◀ **HB-GS05E**

Engine:250cc, single cylinder, 4 stroke,air cooled  
Start: Kick & Electric start  
Brake type: disc/disc  
Rear shock: hydraulic shock  
Front wheel: 17 inch  
Rear wheel: 14 inch  
Conveyance: 132pcs/40'HQ



### ▶ **HB-GS05D**

Engine:250cc, single cylinder, 4 stroke,air cooled  
Start: Kick start or Kick&Electric start  
Brake type: disc/disc  
Front wheel: 19 inch  
Rear wheel: 16 inch  
Conveyance: 105pcs/40'HQ





### ◀ HB-ES800D

Motor: 350W brush motor  
Battery: lead acid, 12V12A\*2 ( 24V)  
Brake(F/R): disc/disc  
Max speed: 20KM/H  
Tyre: 90/65-6.5 (F) 110/50-6.5 (R)  
Speed: low - middle - high  
Charging time: 4-6 hours  
Conveyance: 316PCS/40'HQ



### ◀ HB-PSB01D

Engine: 49cc, single cylinder, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 45KM/H  
Tyre: 2.50-10  
Conveyance: 360PCS/40'HQ



### ▲ HB-PSB01A

Engine: 49cc, single cylinder, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 40KM/H  
Tyre: 12 1/2X2.75  
Conveyance: 480PCS/40'HQ



### ▲ HB-PSB01B

Engine: 49cc, single cylinder, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 40KM/H  
Tyre: 90/65-6.5 (F) 110/50-6.5 (R)  
Conveyance: 370PCS/40'HQ



### ▲ HB-PSB01C

Engine: 49cc, single cylinder, 2 stroke, air-cooled  
Alloy pull starter & electric starter  
Brake(F/R): disc/disc  
Max speed: 45KM/H  
Tyre: 2.50-10  
Conveyance: 440PCS/40'HQ



### ▲ HB-ES800C

Motor: 500/800W/1000W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Max speed: 40KM/H  
Tyre: 2.50-10  
Speed: low - middle - high  
Charging time: 6-8 hours  
Conveyance: 336PCS/40'HQ



### ◀ HB-ES1000B

Motor: 1000W/1300W/1600W brushless motor  
Battery: lead acid, 12V12A\*4(48V)  
Loading capacity: 65kgs  
Charge time: 6-8 hours  
Brake model: disc/disc  
Max speed: 45KM/H  
Tyre: 90/65-6.5  
Conveyance: 325pcs/40'HQ



### ◀ HB-ES800A

Motor: 500W/800W/1000W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Loading capacity: 65kgs  
Charge time: 6-8 hours  
Max speed: 20KM/H  
Tyre: 4.10-4  
Conveyance: 420PCS/40'HQ

### ▶ HB-ES800C

Motor: 500W/800W/1000W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Loading capacity: 65kgs  
Charge time: 6-8 hours  
Max speed: 20KM/H  
Tyre: 90/65-6.5 (F) 110/50-6.5 (R)  
Conveyance: 420PCS/40'HQ



### ◀ HB-ES800 (COC)

Motor: 500W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Loading capacity: 65kgs  
Charge time: 6-8 hours  
Max speed: 20KM/H  
Tyre: 4.10-4  
Conveyance: 420PCS/40'HQ

### ▶ HB-ES1000A

Motor: 1000W brush motor  
Battery: lead acid, 12V12A\*3(36V)  
Brake(F/R): disc/disc  
Loading capacity: 65kgs  
Charge time: 6-8 hours  
Max speed: 35KM/H  
Tyre: 2.50-10  
Conveyance: 382PCS/40'HQ





### ▲ BS-01

Motor power: 350W x 2  
 Battery: 36V 4.0AH Lithium Battery  
 Voltage: 100-240V  
 Max. speed: 10-15KM/H  
 Climbing capability: 15 degrees  
 Charging time: 2 hour  
 Distance per charge: about 15-20 Km  
 (according to the ground conditions, load, battery)  
 Tire size: 6.5 inch solid tire  
 Max.load: 120KGS  
 N.W: 10KGS G.W: 12KGS  
 Package size: 65x24.5x23CM  
 Conveyance QTY: 810Pcs/20'GP; 1780Pcs/40'HQ



### ▲ BS-02

Motor power: 350W x 2  
 Battery: 36V 4.0AH Lithium Battery  
 Voltage: 100-240V  
 Max. speed: 10-15KM/H  
 Climbing capability: 15 degrees  
 Charging time: 2 hour  
 Distance per charge: about 15-20 Km  
 (according to the ground conditions, load, battery)  
 Tire size: 8 inch solid tire  
 Max.load: 120KGS  
 N.W: 12KGS G.W: 14KGS  
 Package size: 65.5x27x23.7CM  
 Conveyance QTY: 645Pcs/20'GP; 1580Pcs/40'HQ



### ◀ HK-02

Rear shock: double spring  
 Front tyre: 6.5inch inflate  
 Material: steel  
 Max loading: 120KGS  
 N.G/W:8/9.5KGS  
 Conveyance loading:1270PCS/40'HQ



### ▲ BS-03

Motor power: 350W x 2  
 Battery: 36V 4.0AH Lithium Battery  
 Voltage: 100-240V  
 Max. speed: 10-15KM/H  
 Climbing capability: 15 degrees  
 Charging time: 2 hour  
 Distance per charge: about 15-20 Km  
 (according to the ground conditions, load, battery)  
 Tire size: 10 inch pneumatic tire  
 Max.load: 120KGS  
 N.W: 13KGS G.W: 15KGS  
 Package size: 71x34x32.5CM  
 Conveyance QTY: 355Pcs/20'GP; 840Pcs/40'HQ



### ▲ BS-04

Motor power: 350W x 2  
 Battery: 36V 4.0AH Lithium Battery  
 Voltage: 100-240V  
 Max. speed: 10-15KM/H  
 Climbing capability: 15 degrees  
 Charging time: 2 hour  
 Distance per charge: about 15-20 Km  
 (according to the ground conditions, load, battery)  
 Tire size: 8.5 inch solid tire  
 Max.load: 120KGS  
 N.W: 12KGS G.W: 14KGS  
 Package size: 65.5x27x23.7CM  
 Conveyance QTY: 645Pcs/20'GP; 1580Pcs/40'HQ

### ▶ HK-01

Front tyre: PU wheel  
 Material: steel  
 Max loading: 120KGS  
 N.G/W:7/8.5KGS  
 Conveyance loading:1260PCS/40'HQ

